Häcker Automation GmH Inselsbergstraße 17 99880 Waltershausen / OT Schwarzhausen

mikromontage.shop

Contact us: Consulting: +49 (0)36259 300 99 Support: +49 (0)36259 300 711 E-Mail: contact@haecker-automation.com



PLACER (3D, VACUUM TOOL) SKU: S2-0049.02 110.000,00 € excl. VAT



Categories: <u>Assembly systems</u>, <u>Modules</u>, <u>smart</u> <u>modules</u>

BESCHREIBUNG

The Placer (3D, Vacuum tool) was specially developed for active alignment tasks.

In addition to a travel range of 150 mm in the Z direction, it has a movement range of +/- 50° around the movement axis. A hexapod with six axes, with movements in all 6 degrees of freedom was developed for the fine positioning and alignment of optical components. Vacuum tools can be attached to it. An additional adjustable observation camera allows the processing area to be viewed. The range of functions can also be expanded to include contact pins, UV lamps, etc..

MORE INFORMATIONS

Dimensions in mm (W x D x H)	99 x 294 x 366
Weight in kg	11
Permissible product weight on the hexapod in g	500
Movement range in Z in mm	150
Accuracy z-axis in mm	±0.001
Range of motion A-axis in degrees	± 50
Voltage in V	48

Häcker Automation GmH Inselsbergstraße 17 99880 Waltershausen / OT Schwarzhausen

mikromontage.shop

Contact us: Consulting: +49 (0)36259 300 99 Support: +49 (0)36259 300 711 E-Mail: contact@haecker-automation.com

Max. current in A	3.2
Communication interface	Ethernet
Operating temperature in °C	2035

