



PLACER



SKU: N/A

23.400,00 € – 26.050,00 € excl. VAT



Categories: [Assembly systems](#), [Modules](#)

VARIATIONS

Image	SKU	Tool Adapter	Price
	S2-0027+S8-0266	incl. spring loaded tool adapter TA-SL4	26.050,00 € excl. VAT
	S2-0027	exclusive	23.400,00 € excl. VAT

Image



SKU

S2-0027+S8-0256 inkl. ridig tool adapter TA-R3

Tool Adapter

Price

24.500,00 € excl. VAT

BESCHREIBUNG

The Placer is a placement head designed for accurate alignment as well as placement of components. The head can be equipped with both standard and process-specific tools. The spectrum ranges from vacuum-based tools for component placement to punches for pin transfer processes. In addition, a Z-axis stroke of 150 mm guarantees exceptional reach. This means that even positions in deep cavities can be reached without any problems.

MORE INFORMATIONS

Dimensions in mm (W x D x H)	49 x 261 x 341
Weight in kg	4.8
Movement range in Z in mm	150
Accuracy z-axis in mm	± 0.001
Force measuring range in N	10 ... 50
Movement range rotation axis in degree	0 ... 360
Resolution rotation axis in arsec	24
Voltage in V	48
Max. current in A	2,5
Communication interface	Ethernet

Häcker Automation GmbH
Inselsbergstraße 17
99880 Waltershausen / OT
Schwarzhausen

 mikromontage.shop

Contact us:
Consulting: +49 (0)36259 300 99
Support: +49 (0)36259 300 711
E-Mail: contact@haecker-automation.com

